Articulated Holder FAT*







NOGA
simply sophisticated

*Fine Adjustment Top



MA61003
Overall arm length 580 mm

MG71003
Overall arm length 347.50 mm

MG61003
Overall arm length 317 mm

DG61003
Overall arm length 282 mm

NF61003
Overall arm length 178 mm

NOGA
simply sophisticated

Articulated Holders FAT*




NOGA articulated holders with fine adjustment on top


Due to its stability and ease of use, **NOGA** articulated holder has become the industry most wanted.

- Fine adjustment on top with universal swivel clamp.
- Holds 6mm, 8mm, 3/8" and dovetail.
- Central locking mechanism with NOGA designed spring loaded bearing.
- Powerful on/off magnetic base.
- Instant fixation in any position.
- Fast and easy to set up gauges into required position.
- Black finished arms.


NOGA
simply sophisticated

*Fine Adjustment Top





FA1500 FA1510



Holder			Arm length			Magnet			
Order no.	Bottom thread	Weight	Bottom arm	Top arm	Total	Force	Dimension		
	D	[Kg]	L1	L2	L1 + L2 + L3	[N]	W	L	H
NF61003	Ext. M5	0.520	56	51	178	320	30	40	35
NF60103	Ext. M5	0.320	56	51	178	-	-	-	-
DG61003	Ext. M8	1.350	110	101	282	800	50	60	55
DG60103	Ext. M8	0.350	110	101	282	-	-	-	-
MG61003	Ext. M8	1.900	133	113	317	800	50	60	55
MG60103	Ext. M8	0.900	133	113	317	-	-	-	-
MG71003	Ext. M8	1.950	163.5	113	347.50	800	50	60	55
MG70103	Ext. M8	0.950	163.5	113	347.50	-	-	-	-
MA61003	Ext. M10 x 1.25	5.100	286.50	222.5	580	1300	50	120	55
MA60103	Ext. M10 x 1.25	3.100	286.50	222.5	580	-	-	-	-

All measurements are in mm unless otherwise mentioned

NOGA simply sophisticated