

HAND POWER TOOLS

Your speedy effortless tool

Profile

JK Files (India) Limited is a 63-year old company built on a legacy of excellence synonymous with Raymond's Limited. With five ISO 9001:2008 certified plants, at Ratnagiri, Chiplun, Pithampur, Vapi and Kolkata, our products are marketed all over the country by 600 dealers. Our footprint extends to countries in Europe as well as USA, UK and Latin America with a product range that consists of Files, HSS Drills, Hand Tools, Power Tools, Solid Carbide Tools, HSS Taps and End Mills.

We are committed to combinig mechanical and digital engineering to produce innovative solutions for you. Blending the brand's core ideals with the changing requirement of times, we are launching a new outlook with JK Superdrive. This is not just a change in name but also a change in the way we will do our business. It promises new tanper-proof packaging, renewed marketing support and open channels of communication.

Our promise of being your speedy effortless tool combines cutting edge technology with reliability and quality. As you set forth to build a new tomorrow, you will find a reliable partner by your side.

We welcome you to the world of JK Superdrive.

JK Super Drive
Speedy Effortless Tool

JK Files (India) Limited
(A Subsidiary of Raymond Limited)

Quality Policy

We shall provide products and services that meets our Customers' requirements on time, every time.

We shall provide all possible assistance to our Customers wherever required to get benefits from the use of our products.

We shall continually improve our processes to understand changing customer needs of QUALITY, COST and DELIVERY which is vital for our continued growth and success.

We will continually improve the effectiveness and compliance of our QUALITY MANAGEMENT SYSTEM with the involvement of employees at all levels.

We are committed to ensure safety of all our facilities.



S Ganeshkumar
C.E.O.

Index

Sr. No.	Particulars	Pg.No.
01	Cutter JKC5HD	02
02	Blower JKBL	04
03	Circular Saw JKCR185	05
04	Jigsaw JKJS65	06
05	Electric Planer JKEP3-82	07
06	Rotary Drill JKED10	09
07	Impact Drill JKID13HD	11
08	Impact Drill JKID10VR	13
09	Impact Drill JKID13VR	14
10	Angle Grinder JKAG100HD	15
11	Angle Grinder JKAG125	16
12	Angle Grinder JKAG125PRO	17
13	Angle Grinder JKAG180PRO	18
14	Cut-Off Saw JKCS14HD	19
15	Power Tools Accessories	20

Power Tools



Cutter
JKC5PRO

JKC5PRO



Key Features:

- *High Power Performance*
- *Robust 4 Screw Construction*
- *Soft Grip Handle*
- *Dust Proof Switch*
- *Carbon Brush Externally Accessible*


Technical Specifications	
Power Input	1350 W
No Load Speed	12500 RPM
Rated Voltage	230 V
Frequency	50 Hz
Net Weight	2.8 kg
Wheel	125 mm
Cutting Depth	40 mm







Suitable For




Granite



Kadappa



Tiles



Wood

Recommended Accessories



GranTile-Cut



BrickStone-Cut



Fine-Mould



TCT Wood-Cut

Use JK Genuine Spares



Carbon Brush



Armature



Gear



Bearings



Switch



Blower JKBL



Key Features:

- Durable Nylon Body
- Lock on Switch
- Blow and Suction
- External Carbon Brush Access

Technical Specifications	
Power Input	440 W
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	13000 RPM
Net Weight	1.8 kg

Use JK Genuine Spares



Carbon Brush | Armature | Gear | Bearings | Switch

Circular Saw
JKCR185

JKCR185





Key Features:

- *High Power*
- *Ergonomic Soft Grip Handle*
- *External Carbon Brush Access*
- *Lock On Switch*
- *Degree Cutting*

Technical Specifications	
Power Input	1350 W
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	5000 RPM
Wheel Diameter	185 mm
Net Weight	4.2 kg
Cutting Depth 90°	62 mm
Cutting Depth 45°	45 mm

Suitable For



Wood

Recommended Accessories



TCT Wood-Cut

Use JK Genuine Spares



Carbon Brush | Armature | Gear | Bearings | Switch

JKJS65



Jig Saw
JKJS65



Key Features:
- *Ergonomic Soft Grip Handle*
- *Variable Speed*
- *4 Step Pendulum Action*

Suitable For



Aluminium



Wood

Technical Specifications

Power Input	500 W
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	500-3100 SPM
Net Weight	2 kg
Cutting Depth in Wood	65 mm
Cutting Depth in Steel	6 mm

Use JK Genuine Spares



Carbon Brush | Armature | Gear | Bearings | Switch



Suitable For



Wood

Use JK Genuine Spares



Carbon Brush | Armature | Gear | Bearings | Switch

Rotary Drill JKED10PRO




Key Features:

- *Variable Speed*
- *Light Weight Design*
- *Dust Proof Switch*
- *Reverse / Forward Operation*
- *Soft Grip Handle*

Technical Specifications	
Power Input	500 W
No Load Speed	2800 RPM
Rated Voltage	230 V
Frequency	50 Hz.
Net Weight	1.6 kg

Drilling Range	
In Alluminium	10 mm
In Wood	25 mm
In Steel	8 mm







Suitable For



Aluminium



S.S.



Wood

Recommended Accessories



A) FOR ALUMINIUM & S.S.
i) Jobber Drill Bit ii) Stub Drill Bit



B) FOR WOOD
i) Jobber Drill Bit ii) Hole Saw

Use JK Genuine Spares



Carbon Brush | Armature | Gear | Bearings | Switch

Impact Drill JKID13PRO



Key Features:

- *Robust Design*
- *Variable Speed*
- *High Power*
- *Dust Proof Switch*
- *Reverse / Forward Operation*
- *Soft Grip Handle*

Technical Specifications	
Power Input	720 W
No Load Speed	3000 RPM
Rated Voltage	230 V
Frequency	50 Hz.
Net Weight	2.6 kg
Impact Rate at No Load Speed	0-44800 bpm

Drilling Range	
In Wood	20 mm
In Steel	13 mm
In Concrete	16 mm







Suitable For


Aluminium


S.S.


Wood


Concrete

Tiles

Recommended Accessories


A) For Aluminium & S.S.
i) Jobber Drill Bit
ii) Stub Drill Bit


B) For Wood
i) Jobber Drill Bit
ii) Hole Saw


B) For Concrete
i) Masonry Drill Bit

Use JK Genuine Spares


Carbon Brush


Armature


Gear


Bearings


Switch

Impact Drill JKID10VR



Key Features:

- *Variable Speed*
- *Heavy Duty*
- *Lock On Switch*
- *Reverse / Forward Operation*

Technical Specifications	
Power Input	550 W
No Load Speed	0-3000 RPM
Rated Voltage	230 V
Frequency	50 Hz.
Net Weight	1.8 kg
Chuck Clamp Range	1.5 to 10 mm
Impact Rate at No Load Speed	0-48000 bpm

Drilling Range	
In Wood	20 mm
In Steel	10 mm
In Concrete	10 mm

Suitable For


Aluminium


Wood


Concrete

Recommended Accessories


A) For Aluminium & S.S.
i) Jobber Drill Bit
ii) Stub Drill Bit


B) For Wood
i) Jobber Drill Bit
ii) Hole Saw


B) For Concrete
i) Masonry Drill Bit

Use JK Genuine Spares


Carbon Brush


Armature


Gear


Bearings


Switch

Impact Drill JKID13VR



JKID13VR

Key Features:

- Variable Speed
- Light Weight
- Lock On Switch
- Soft Grip
- Reverse / Forward Operation

Technical Specifications	
Power Input	550 W
No Load Speed	0-3000 RPM
Rated Voltage	230 V
Net Weight	1.8 kg
Chuck Clamp Range	1.5 to 13 mm
Impact Rate at No Load Speed	0-48000 bpm

Drilling Range	
In Wood	20 mm
In Steel	13 mm
In Concrete	13 mm

Suitable For



Aluminium



Wood



Concrete

Recommended Accessories



A) For Aluminium & S.S.
i) Jobber Drill Bit
ii) Stub Drill Bit



B) For Wood
i) Jobber Drill Bit
ii) Hole Saw



B) For Concrete
i) Masonry Drill Bit

Use JK Genuine Spares



Carbon Brush



Armature



Gear



Bearings



Switch

Angle Grinder JKAG100PRO



Key Features:

- ***Heavy Duty***
- ***Adjustable Wheel Guard***
- ***Two Position Side Handle***

Technical Specifications	
Power Input	850 W
Grinding / Cutting Disc	100 mm
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	11500 RPM
Net Weight	2 kg

Suitable For



M.S.



S.S.

Recommended Accessories



DG Disc



Super Thin Cutting Disc

*Sanding & Polishing Disc



Flat Cutting Disc

Use JK Genuine Spares



Carbon Brush



Armature



Gear



Bearings



Switch

JKAG125



Angle Grinder JKAG125



Key Features:

- Heavy Duty
- Lock on Switch
- Adjustable Wheel Guard
- Two Position Side Handle

Technical Specifications	
Power Input	1050 W
Grinding / Cutting Disc	125 mm
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	11000 RPM
Net Weight	2.3 kg

Suitable For



M.S.



S.S.

Recommended Accessories



DG Disc



Super Thin Cutting Disc

*Sanding & Polishing Disc



Flat Cutting Disc

Use JK Genuine Spares



Carbon Brush | Armature | Gear | Bearings | Switch

Angle Grinder JKAG125PRO



Key Features:

- Heavy Duty
- Lock on Switch
- Adjustable Wheel Guard
- Three Position Side Handle

Technical Specifications	
Power Input	1450 W
Grinding / Cutting Disc	125 mm
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	9000 RPM
Net Weight	3 kg

Suitable For



M.S.



S.S.

Recommended Accessories



DG Disc



Super Thin Cutting Disc

*Sanding & Polishing Disc



Flat Cutting Disc

Use JK Genuine Spares



Carbon Brush | Armature | Gear | Bearings | Switch

Angle Grinder JKAG180PRO

JKAG180PRO



Key Features:

- Soft Start
- Heavy Duty
- Lock on Switch
- Adjustable Wheel Guard

Technical Specifications	
Power Input	2500 W
Grinding / Cutting Disc	180 mm
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	8000 RPM
Net Weight	5.2 kg

Suitable For



M.S.



S.S.

Recommended Accessories



DG Disc



Super Thin Cutting Disc

*Sanding & Polishing Disc



Flat Cutting Disc

Use JK Genuine Spares



Carbon Brush



Armature



Gear



Bearings



Switch

Cut-Off Saw
JKCS14PRO



Key Features:

- *High Power*
- *Lock on Switch*
- *Adjustable Wheel Guard*
- *Both Side Degree Cutting*
- *Ergonomic D-Shaped Handle*

Technical Specifications	
Power Input	2300 W
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	3800 RPM
Net Weight	18 kg

Suitable For



M.S.



S.S.

Recommended Accessories



Flat Cutting Disc
355 x 2.8 x 25.4mm

Use JK Genuine Spares



Carbon Brush



Armature



Gear



Bearings



Switch

Router JKRT12PRO




Key Features:

- 0-45mm Plunge Type Base
- High Power
- 4 Pillar Construction
- Guide Adjustment Scale for Faster Fitment
- Led Light

Technical Specifications	
Power Input	1300 W
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	21000 RPM
Wheel Diameter	12mm
Net Weight	4.4 kg



Suitable For



Wood

Rotary Hammer
JKRH2260DRPRO

JKRH2-260DRPRO



Key Features:

- *Soft Grip Handle*
- *Easy to Change Tool Holder*
- *Forward/Reverse Operation*
- *3 Functions-Drilling, Hammering & Chiseling*

Technical Specifications	
Power Input	800 W
Rated Voltage	230 V
Frequency	50 Hz
No Load Speed	0-1300 RPM
Impact Rate	0-4000 BPM
Impact Energy	3J
Net Weight	2.8 kg



Suitable For



Concrete


Aluminum-Cut
305 mm
Max. Speed
5,095 RPM
WoodPly-Cut
150 mm
Max. Speed
Fine-Mould
Diamond
Blade
FLAT
CUTTING DISC
GRINDING DISC
CUTTING DISC



JK Files (India) Limited
(A Subsidiary of raymond Limited)

Regd. Off.: New Hind House, N. M. Marg, Ballard Estate, Mumbai - 400 001. Maharashtra, India.

Sales Off.: P.O. Jekegram, Pokhran Road No.1, Thane - 400 606. Maharashtra, India.

Phone: (+91-22) 6152 8754 / 7000 Fax : (+91-22) 6152 8819 / 20 *Email:* jkptccc@raymond.in

Log On To: www.jksuperdrive.com