

EMKAY TOOLS

Effective from 26th March 2026
PRICE LIST

PRICE LIST

(Effective from 26th March 2026)

HIGH PERFORMANCE TAPS (HSS-E)

FLUTELESS WITHOUT OIL GROOVE
and
FLUTELESS WITH OIL GROOVE





EMKAY TOOLS LTD

Factory : B-27 & B-27/1, M.I.D.C. Industrial Area, Hingna, Nagpur.
Telephone No. : 91-9226071464
E-mail : hq@emkaytools.com www.emkaytools.com

CONTENTS

PAGE NO.

BRIGHT, TiN and TiCN/TiALN

METRIC COARSE : SHORT AND LONG SHANK MACHINE TAPS

i) ISO 529, IS-6175-I, IS-6175-II,and IS-6175-III 1
ii) ISO 2283, IS-6175-IV (IS-7821) and DIN-371 2
iii) DIN 376 3

METRIC FINE : SHORT AND LONG SHANK MACHINE TAPS

i) IS-6175-II,and DIN-371 3
ii) IS-6175-III 4
iii) ISO 2283, IS-6175-IV (IS-7821) 5
iv) DIN-374 6

FRACTIONAL SIZES (UNC/UNF/BSW/BSF)

SHORT AND LONG SHANK MACHINE TAPS UNC and UNF

i) ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821), DIN-371 7
ii) DIN-376, 8

SHORT AND LONG SHANK MACHINE TAPS BSW and BSF


i) ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821) 9
ii) DIN-371, DIN-376 10

PIPE TAPS

BS 949 i) BSP FLUTELESS OIL GROOVE. 10

HELICOIL STI TAPS

i) FLUTELESS and FLUTELESS OIL GROOVE. 11



EMKAY TOOLS

Effective from 26th March 2026

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC COARSE ISO-529, IS-6175-I						
1.6 X 0.35	2640	3036	2775	3176	2859	3263
1.8 X 0.35	2527	2902	2665	3063	2772	3151
2 X 0.4	1552	1786	1666	1904	1751	1990
2.2 X 0.45	1555	1635	1555	1751	1646	1834
2.3 X 0.4	1555	1635	1555	1751	1646	1834
2.5 X 0.45	1424	1635	1536	1751	1624	1834
2.6 X 0.45	1555	1635	1651	1751	1741	1834
METRIC COARSE ISO-529, IS-6175-II						
3 X 0.5	1071	1180	1175	1286	1265	1374
3.5 X 0.6	1071	1180	1175	1286	1265	1374
4 X 0.7	1071	1180	1175	1286	1265	1374
5 X 0.8	1071	1180	1175	1286	1265	1374
6 X 1	1071	1180	1175	1286	1265	1374
7 X 1	1236	1293	1358	1415	1456	1515
8 X 1.25	1236	1293	1358	1415	1456	1515
9 X 1.25	1513	1579	1659	1729	1777	1847
10 X 1.5	1513	1579	1659	1729	1777	1847
METRIC COARSE ISO-529, IS-6175-III						
3 X 0.5	1231	1355	1340	1467	1427	1552
3.5 X 0.6	1231	1355	1340	1467	1427	1552
4 X 0.7	1231	1355	1340	1467	1427	1552
5 X 0.8	1231	1355	1340	1467	1427	1552
6 X 1	1231	1355	1340	1467	1427	1552
7 X 1	1423	1487	1548	1616	1646	1713
8 X 1.25	1423	1487	1548	1616	1646	1713
9 X 1.25	1739	1817	1890	1970	2007	2088
10 X 1.5	1739	1817	1890	1970	2007	2088
11 X 1.5	3150	3441	3419	3633	3630	3846
12 X 1.75	2334	2547	2588	2726	2799	2937
14 X 2		3589		3898		4136
16 X 2		3843		4156		4398
18 X 2.5		5774		6073		6271
20 X 2.5		7603		8012		8282
22 X 2.5		9745		10641		11358
24 X 3		10877		11795		12511
25 X 3		13255		14218		14934
27 X 3		16468		17922		19072
30 X 3.5		18428		19921		21069
33 X 3.5		22435		24490		26133
36 X 4		31220		35045		38292

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC COARSE ISO-2283, IS-6175-IV (IS-7821)						
5 X 0.8	1576	1735	1782	1951	1913	2080
6 X 1	1576	1735	1782	1951	1913	2080
7 X 1	1815	1899	2056	2138	2206	2290
8 X 1.25	1815	1899	2056	2138	2206	2290
9 X 1.25	2223	2325	2512	2616	2689	2796
10 X 1.5	2223	2325	2512	2616	2689	2796
12 X 1.75	3433	3555	3921	4048	4240	4368
14 X 2		4973		5404		5591
16 X 2		4973		5404		5591
18 X 2.5		9614		10214		10436
20 X 2.5		11823		12587		12889
22 X 2.5		13231		14433		15119
24 X 3		14367		15735		16547
25 X 3		18017		19528		20338
27 X 3		20248		22335		23634
30 X 3.5		23767		25991		27291
33 X 3.5		39501		42896		44751
36 X 4		48542		54110		57781
METRIC COARSE DIN-371						
1.6 X 0.35	2930	3370	3166	3627	3264	3724
1.8 X 0.35	2805	3222	3042	3497	3164	3597
2 X 0.4	1723	1983	1903	2174	1999	2271
2.2 X 0.45	1726	1814	1775	1999	1878	2093
2.3 X 0.4	1726	1814	1775	1999	1878	2093
2.5 X 0.45	1580	1814	1753	1999	1855	2093
2.6 X 0.45	1726	1814	1775	1999	1878	2093
3 X 0.5	1188	1309	1342	1468	1445	1568
3.5 X 0.6	1188	1309	1342	1468	1445	1568
4 X 0.7	1188	1309	1342	1468	1445	1568
5 X 0.8	1188	1309	1342	1468	1445	1568
6 X 1	1188	1309	1342	1468	1445	1568
7 X 1	1425	1491	1594	1661	1709	1779
8 X 1.25	1425	1491	1594	1661	1709	1779
9 X 1.25	1744	1822	1948	2029	2085	2167
10 X 1.5	1744	1822	1948	2029	2085	2167

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS


PRICE LIST

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC COARSE DIN-376						
5 X 0.8	1605	1767	1814	1986	1947	2117
6 X 1	1605	1767	1814	1986	1947	2117
7 X 1	1922	2009	2152	2239	2311	2399
8 X 1.25	1922	2009	2152	2239	2311	2399
9 X 1.25	2353	2463	2629	2740	2815	2928
10 X 1.5	2353	2463	2629	2740	2815	2928
12 X 1.75	3498	3622	3991	4119	4315	4446
14 X 2		5067		5499		5691
16 X 2		5067		5499		5691
18 X 2.5		9794		10396		10621
20 X 2.5		12045		12811		13119
22 X 2.5		13478		14691		15388
24 X 3		14635		16017		16843
25 X 3		18352		19875		20700
27 X 3		20626		22732		24053
30 X 3.5		24210		26455		27776
33 X 3.5		40239		43659		45548
36 X 4		49449		55072		58811
METRIC FINE DIN-371						
3 X .35	1810	1992	1997	2187	2098	2288
4 X .5	1810	1992	1997	2187	2098	2288
4 X .75	1747	1925	1930	2117	2035	2220
5 X .5/.75	1686	1856	1865	2045	1970	2147
6 X .5	1686	1856	1865	2045	1970	2147
6 X .75	1686	1856	1865	2045	1970	2147
7 X .75	1925	2015	2078	2168	2195	2287
8 X .5/.75	2077	2168	2232	2326	2349	2445
8 X 1.0	1780	1858	1929	2012	2046	2129
9 X 1.0	2355	2465	2541	2648	2685	2791
10 X 1.0	1813	1894	1987	2071	2129	2212
10 X 1.25	1813	1894	1942	2071	2130	2212
METRIC FINE ISO-529, IS-6175-II						
3 X .35	1552	1710	1666	1825	1751	1911
4 X .5	1552	1710	1666	1825	1751	1911
4 X .75	1498	1651	1610	1767	1698	1853
5 X .5/.75	1446	1592	1556	1707	1645	1793
6 X .5	1446	1592	1556	1707	1645	1793
6 X .75	1446	1592	1556	1707	1645	1793
7 X .75	1605	1681	1734	1810	1833	1909
8 X .5/.75	1732	1809	1863	1942	1961	2041
8 X 1.0	1485	1550	1609	1679	1709	1777
9 X 1.0	1964	2056	2122	2211	2241	2330
10 X 1.0	1513	1579	1659	1729	1777	1847
10 X 1.25	1513	1579	1622	1729	1778	1847

1. SPECIAL TOLERANCE : 10% extra.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC FINE ISO-529, IS-6175-III						
3 X .35	1786	1965	1904	2085	1989	2173
4 X .5	1786	1965	1904	2085	1989	2173
4 X .75	1721	1897	1840	2020	1926	2105
5 X .5/.75	1663	1831	1779	1949	1865	2035
6 X .5	1663	1831	1779	1949	1865	2035
6 X .75	1663	1831	1779	1949	1865	2035
7 X .75	1847	1932	1981	2068	2079	2165
8 X .5/.75	1990	2082	2127	2219	2225	2319
8 X 1.0	1707	1783	1836	1916	1935	2015
9 X 1.0	2259	2362	2421	2525	2540	2644
10 X 1.0	1739	1817	1890	1970	2007	2088
10 X 1.25	1739	1817	1852	1970	2009	2088
11 X 1.0	3150	3441	3419	3633	3630	3847
12 X 1.0/1.25	2569	2802	2826	2984	3036	3196
12 X 1.50	2334	2418	2588	2673	2799	2884
14 X 1.0	3241	3589	3493	3898	3686	4136
14 X 1.25		3589		3898		4136
14 X 1.50		3589		3898		4136
16 X 1.0		4034		4353		4593
16 X 1.50		3843		4156		4398
18 X 1.0/2.0		8791		9622		10293
18 X 1.5		7489		8295		8964
20 X 1.0/2.0		11688		12822		13740
20 X 1.5		9447		10540		11460
22 X 1.0/2.0		12799		14119		15200
22 X 1.5		10308		11581		12663
24 X 1.0/2.0		12084		13390		14473
24 X 1.5		12983		14307		15389
25 X 1.0/2.0		14808		16165		17247
25 X 1.5		13819		15159		16242
26 X 1.0		19268		21362		23098
27 X 1.0/2.0		19409		21504		23240
27 X 1.5		18116		20186		21924
30 X 1.0/2.0		21830		23968		25704
30 X 1.5		20374		22487		24222
33 X 1.0/2.0		26654		29629		32109
33 X 1.5		24878		27819		30298
36 X 1.0/2.0		36975		42568		47478
36 X 1.5		34509		40059		44967

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC FINE ISO-2283, IS-6175-IV (IS-7821)						
5 X .5/.75	1891	2080	2113	2312	2242	2440
6 X .5	1735	1906	1951	2128	2080	2220
6 X .75	1735	1906	1951	2128	2080	2220
7 X .75	2181	2281	2439	2542	2589	2692
8 X .5/.75	2000	2090	2248	2341	2397	2492
8 X 1.0	2000	2090	2248	2341	2397	2492
9 X 1.0	2448	2558	2744	2862	2922	3039
10 X 1.0	2448	2558	2746	2863	2924	3042
10 X 1.25	2448	2558	2746	2863	2924	3042
11 X 1.0	4463	4623	5001	5170	5320	5490
12 X 1.0/1.25	3433	3555	3921	4048	4240	4368
12 X 1.50	3433	3555	3921	4048	4240	4368
14 X 1.0		4973		5770		6038
14 X 1.25		4973		5770		5743
14 X 1.50		5279		5901		6264
16 X 1.0		5470		6192		6512
16 X 1.50		5470		6192		6512
18 X 1.0/2.0		11094		12285		13042
18 X 1.5		7208		8248		9003
20 X 1.0/2.0		13447		15011		16046
20 X 1.5		11222		12698		13736
22 X 1.0/2.0		13952		15721		16946
22 X 1.5		15916		17762		18985
24 X 1.0/2.0		15569		17402		18627
24 X 1.5		16147		18001		19228
25 X 1.0/2.0		17626		19537		20761
25 X 1.5		17626		19537		20761
26 X 1.0		18917		21617		23581
27 X 1.0/2.0		19072		21778		23743
27 X 1.5		19072		21778		23743
30 X 1.0/2.0		22744		25594		27559
30 X 1.5		22744		25594		27559
33 X 1.0/2.0		27501		31377		34181
33 X 1.5		27501		31377		34181
36 X 1.0/2.0		33278		40128		45680
36 X 1.5		33278		40128		45680

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC FINE D-374						
5 X .5/.75	1926	2120	2150	2353	2283	2484
6 X .5	1767	1943	1986	2166	2117	2259
6 X .75	1767	1943	1986	2166	2117	2259
7 X .75	2331	2435	2577	2686	2735	2845
8 X .5/.75	2136	2233	2376	2474	2533	2632
8 X 1.0	2136	2233	2376	2474	2533	2632
9 X 1.0	2614	2732	2899	3023	3086	3210
10 X 1.0	2614	2732	2900	3024	3088	3216
10 X 1.25	2614	2732	2900	3024	3088	3216
11 X 1.0	4545	4709	5089	5261	5414	5590
12 X 1.0/1.25	3498	3622	3991	4119	4315	4446
12 X 1.50	3563	3688	4066	4197	4397	4532
14 X 1.0		5067		5873		6145
14 X 1.25		5067		5873		5846
14 X 1.50		5378		6007		6375
16 X 1.0		5573		6303		6627
16 X 1.50		5573		6303		6627
18 X 1.0/2.0		11302		12506		13274
18 X 1.5		7344		8395		9166
20 X 1.0/2.0		13698		15278		16330
20 X 1.5		11431		12923		13979
22 X 1.0/2.0		14211		16000		17247
22 X 1.5		16214		18077		19323
24 X 1.0/2.0		15859		17712		18958
24 X 1.5		16449		18323		19571
25 X 1.0/2.0		17956		19886		21131
25 X 1.5		17956		19886		21131
26 X 1.0		19272		22003		24001
27 X 1.0/2.0		19429		22166		24166
27 X 1.5		19429		22166		24166
30 X 1.0/2.0		23168		26051		28049
30 X 1.5		23168		26051		28049
33 X 1.0/2.0		28014		31936		34792
33 X 1.5		28014		31936		34792
36 X 1.0/2.0		33900		40843		46495
36 X 1.5		33900		40843		46495

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL..)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
BS-949 & ISO 529 UNIFIED COARSE (UNC)/UNIFIED FINE (UNF)						
No. 2	1552	1786	1666	1904	1751	1990
No. 4	1424	1635	1536	1751	1624	1834
No. 6	1071	1180	1175	1286	1265	1374
No. 8	1071	1180	1175	1286	1265	1374
No. 10	1071	1180	1175	1286	1265	1374
1/4"	1071	1180	1175	1286	1265	1374
5/16"	1236	1293	1358	1415	1456	1515
3/8"	1513	1579	1659	1729	1777	1847
7/16"	2334	2418	2588	2673	2799	2884
1/2"	2334	2418	2588	2673	2799	2884
5/8"	3435	3843	3742	4156	3984	4398
3/4"	5631	6625	6090	7167	6444	7582
7/8"	9019	9921	10170	11108	11155	12113
1"	11325	12460	12521	13694	13505	14698
1.1/8"	18428	20274	20351	22257	21927	23870
1.1/4"	22435	24679	25106	27434	27360	29734
1.3/8"	31220	34342	34922	38165	38049	41355
1.1/2"	36652	40317	41795	45617	46257	50169
1.5/8"	42720	46994	49147	53613	54786	59362
1.3/4"	57543	63298	64244	70219	69880	75967
ISO 2283 IS-6175-IV (IS-7821) UNIFIED COARSE (UNC)/ UNIFIED FINE (UNF)						
No. 10	1734	1907	1874	2057	1931	2117
1/4"	1734	1907	1874	2057	1931	2117
5/16"	1998	2090	2160	2259	2229	2326
3/8"	2444	2559	2648	2764	2731	2848
7/16"	3775	3909	4067	4206	4170	4312
1/2"	4344	4498	4683	4846	4813	4976
5/8"	5279	5470	5714	5914	5892	6093
3/4"	11823	13004	12559	13786	12833	14059
7/8"	13231	14552	14461	15837	15173	16549
1"	20248	22272	21751	23853	22464	24567
DIN-371 UNIFIED COARSE (UNC)/ UNIFIED FINE (UNF)						
No. 2	1723	1983	1903	2174	1999	2271
No. 4	1580	1814	1753	1999	1855	2093
No. 6	1188	1309	1342	1468	1445	1568
No. 8	1188	1309	1342	1468	1445	1568
No. 10	1188	1309	1342	1468	1445	1568
1/4"	1188	1309	1342	1468	1445	1568
5/16"	1425	1491	1594	1661	1709	1779
3/8"	1744	1822	1948	2029	2085	2167

1. SPECIAL TOLERANCE : 10% extra.

.




EMKAY TOOLS

PRICE LIST

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL..)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
D-374/DIN-376 UNIFIED COARSE (UNC)/ UNIFIED FINE (UNF)						
No. 10	1766	1944	1907	2093	1967	2153
1/4"	1766	1944	1907	2093	1967	2153
5/16"	2134	2233	2283	2387	2353	2458
3/8"	2611	2734	2796	2921	2884	3009
7/16"	3846	3982	4140	4281	4245	4389
1/2"	4424	4580	4766	4934	4899	5065
5/8"	5378	5573	5816	6020	5998	6201
3/4"	12045	13248	12782	14033	13061	14311
7/8”	13478	14825	14718	16118	15445	16845
1”	20626	22688	22139	24278	22864	25007



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL..)	FLUTELESS OIL GROOVE (2B TOL..)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
BS-949 & ISO 529 British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/8"	1071	1180	1175	1286	1265	1374
5/32"	1071	1180	1175	1286	1265	1374
3/16"	1071	1180	1175	1286	1265	1374
1/4"	1071	1180	1175	1286	1265	1374
5/16"	1236	1293	1358	1415	1456	1515
3/8"	1513	1579	1659	1729	1777	1847
7/16"	2334	2418	2588	2673	2799	2884
1/2"	2334	2418	2588	2673	2799	2884
5/8"	3435	3843	3742	4156	3984	4398
3/4"	5631	6625	6090	7167	6444	7582
7/8"	9019	9921	10170	11108	11155	12113
1"	11325	12460	12521	13694	13505	14698
1.1/8"	18428	20274	20351	22257	21927	23870
1.1/4"	22435	24679	25106	27434	27360	29734
1.3/8"	31220	34342	34922	38165	38049	41355
1.1/2"	36652	40317	41795	45617	46257	50169
1.5/8"	42720	46994	49147	53613	54786	59362
1.3/4"	57543	63298	64244	70219	69880	75967
ISO 2283 IS-6175-IV (IS-7821) British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/4"	1734	1907	1874	2057	1931	2117
5/16"	1998	2090	2160	2259	2229	2326
3/8"	2444	2559	2648	2764	2731	2848
7/16"	3775	3909	4067	4206	4170	4312
1/2"	4344	4498	4683	4846	4813	4976
5/8"	5279	5470	5714	5914	5892	6093
3/4"	11823	13004	12559	13786	12833	14059
7/8"	13231	14552	14461	15837	15173	16549
1"	20248	22272	21751	23853	22464	24567

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
DIN-371 British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/8"	1188	1309	1342	1468	1445	1568
5/32"	1188	1309	1342	1468	1445	1568
3/16"	1188	1309	1342	1468	1445	1568
1/4"	1188	1309	1342	1468	1445	1568
5/16"	1439	1505	1608	1677	1725	1795
3/8"	1761	1839	1966	2047	2104	2187
DIN-374/DIN-376 British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/4"	1766	1944	1907	2093	1967	2153
5/16"	2134	2233	2283	2387	2353	2458
3/8"	2611	2734	2796	2921	2884	3009
7/16"	3846	3982	4140	4281	4245	4389
1/2"	4424	4580	4766	4934	4899	5065
5/8"	5378	5573	5816	6020	5998	6201
3/4"	12045	13248	12782	14033	13061	14311
7/8"	13478	14825	14718	16118	15445	16845
1"	20626	22688	22139	24278	22864	25007
BSP (BS 949)						
1/8" - 28		2570		2988		
1/4" - 19		4005		4584		
3/8" - 19		6449		7282		
1/2" - 14		9968		11302		

1. SPECIAL TOLERANCE : 10% extra.

.

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

STI TAP (HSS-E)

DIA & PITCH (mm)	FLUTELESS		FLUTELESS OIL GROOVE	
		TIN		TIN
3 X 0.5	2585	2691	2849	2955
4 X 0.7	2585	2691	2849	2955
5 X 0.8	2585	2691	2849	2955
6 X 1.0	2585	2691	2849	2955
8 X 1.25	3039	3230	3181	3373
10 X 1.50	3717	4044	3889	4214
12 X 1.75	6071	6560	6621	7110
14 X 2.00	8428	9090	9329	9994
16 X 2.00	8934	9710	10080	10857



NOTE :

1) TAPS TO JAPANESE STANDARD, DIN 352, AMERICAN STANDARD also available in some sizes. Prices on request.
2) Please refer to us for items/sizes not covered in this Price List.
3) For Left Hand taps 35% extra will be charged.
4) **CX Series 20% extra will be charged.**

TERMS & CONDITIONS :

1) **GST & OTHER GOVT. LEVIES WILL BE CHARGED EXTRA AS APPLICABLE.**
2) **PRICES ARE SUBJECT TO REVISION WITHOUT PRIOR NOTICE.**
3) **THIS PRICE LIST SUPERCEDES ALL OUR EARLIER PRICE LISTS.**
4) **THE PRICES QUOTED IN THIS PRICE LIST ARE THE MAXIMUM RETAIL PRICE AND THE DEALERS / STOCKISTS ARE FREE TO SELL THE GOODS AT PRICES LOWER THAN THE PRICES FIXED BY THE COMPANY.**
5) **ALL LEGAL PROCEEDINGS ARE SUBJECT TO NAGPUR JURISDICTION.**

ET
EMKAY TOOLS LTD
www.emkaytools.com