Articulated Holder FAB*





NOGA
simply sophisticated

*Fine Adjustment Base



MG10503 / MG10533
Overall arm length 267.5 mm



DG10503 / DG10533
Overall arm length 232.5 mm



NF10403 / NF10433
Overall arm length 128.5 mm

NOGA
simply sophisticated

Articulated Holders FAB*




NOGA articulated holders with fine adjustment at base


NOGA has unique fine adjustment mechanism which is placed on the magnetic base. This mechanism allows the hand to rest on the base rather than on the clamp of the indicator.
Zero-setting becomes faster than with any other mechanism.

- Unique single direction fine adjustment at base.
- Powerful on/off magnetic base.
- Holds 8mm or 3/8" and dovetail.
- Central locking mechanism with NOGA designed spring loaded bearing.
- Five axis holder.
- Instant fixation in any position.
- Easy to set up gauges into required position.
- Black finished arms

NOGA
simply sophisticated

*Fine Adjustment Base





Standard Clamp
FA 1100 dia. 8 mm and FA 1120 dia. 3/8"

Holder		Standard clamp		Arm length			Magnet			
Order no.	Weight	Standard clamp	Order no.	Bottom arm	Top arm	Total	Force	Dimension		
	[Kg]	D		L1	L2	L1 + L2 + L3	[N]	W	L	H
NF10403	0.520	8	FA1100	56	51	128.5	320	30	40	35
NF10433	0.520	3/8"	FA1120	56	51	128.5	320	30	40	35
DG10503	1.400	8	FA1100	110	101	232.5	800	50	60	55
DG10533	1.400	3/8"	FA1120	110	101	232.5	800	50	60	55
MG10503	1.900	8	FA1100	133	113	267.5	800	50	60	55
MG10533	1.900	3/8"	FA1120	133	113	267.5	800	50	60	55

All measurements are in mm unless otherwise mentioned

NOGA
simply sophisticated